



Continuous VP Scale

IMP\ Boards	4	5	6	7	8	9	10	11	12	13
0	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
1	10.61	10.55	10.50	10.47	10.44	10.41	10.39	10.37	10.36	10.34
2	11.20	11.08	10.99	10.92	10.86	10.81	10.77	10.74	10.71	10.68
3	11.76	11.59	11.46	11.35	11.27	11.20	11.14	11.09	11.05	11.01
4	12.29	12.07	11.90	11.77	11.67	11.58	11.50	11.43	11.38	11.33
5	12.80	12.53	12.33	12.18	12.05	11.94	11.85	11.77	11.70	11.64
6	13.28	12.98	12.75	12.57	12.42	12.29	12.18	12.09	12.01	11.94
7	13.74	13.41	13.15	12.94	12.77	12.63	12.51	12.41	12.31	12.23
8	14.18	13.81	13.53	13.31	13.12	12.96	12.83	12.71	12.61	12.52
9	14.60	14.20	13.90	13.65	13.45	13.28	13.14	13.01	12.90	12.80
10	15.00	14.58	14.25	13.99	13.78	13.59	13.43	13.30	13.18	13.07
11	15.38	14.94	14.59	14.32	14.09	13.89	13.72	13.58	13.45	13.33
12	15.74	15.28	14.92	14.63	14.39	14.18	14.00	13.85	13.71	13.59
13	16.09	15.61	15.24	14.93	14.68	14.46	14.28	14.11	13.97	13.84
14	16.42	15.92	15.54	15.22	14.96	14.74	14.54	14.37	14.22	14.08
15	16.73	16.23	15.83	15.50	15.23	15.00	14.80	14.62	14.46	14.32
16	17.03	16.52	16.11	15.78	15.50	15.26	15.05	14.86	14.70	14.55
17	17.31	16.79	16.38	16.04	15.75	15.50	15.29	15.10	14.93	14.77
18	17.59	17.06	16.64	16.29	16.00	15.74	15.52	15.33	15.15	14.99
19	17.84	17.31	16.89	16.53	16.23	15.97	15.75	15.55	15.37	15.21
20	18.09	17.56	17.12	16.77	16.46	16.20	15.97	15.76	15.58	15.42
21	18.33	17.79	17.35	16.99	16.68	16.42	16.18	15.97	15.79	15.62
22	18.55	18.01	17.58	17.21	16.90	16.63	16.39	16.18	15.99	15.82
23	18.76	18.23	17.79	17.42	17.11	16.83	16.59	16.38	16.18	16.01
24	18.97	18.43	17.99	17.62	17.31	17.03	16.78	16.57	16.37	16.19
25	19.16	18.63	18.19	17.82	17.50	17.22	16.97	16.75	16.55	16.37
26	19.34	18.82	18.38	18.01	17.69	17.41	17.16	16.93	16.73	16.55
27	19.52	19.00	18.56	18.19	17.87	17.59	17.34	17.11	16.91	16.72
28	19.69	19.17	18.73	18.36	18.04	17.76	17.51	17.28	17.08	16.89
29	19.85	19.33	18.90	18.53	18.21	17.93	17.68	17.45	17.24	17.05
30	20.00	19.49	19.06	18.69	18.37	18.09	17.84	17.61	17.40	17.21




Continuous VP Scale

IMP\ Boards	14	15	16	17	18	19	20	21	22	23	24	25
0	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
1	10.33	10.32	10.31	10.30	10.29	10.29	10.28	10.27	10.27	10.26	10.25	10.25
2	10.66	10.63	10.61	10.60	10.58	10.57	10.55	10.54	10.53	10.51	10.50	10.49
3	10.97	10.94	10.91	10.89	10.86	10.84	10.82	10.80	10.78	10.76	10.75	10.73
4	11.28	11.24	11.20	11.17	11.14	11.11	11.08	11.05	11.03	11.01	10.99	10.97
5	11.58	11.53	11.48	11.44	11.41	11.37	11.34	11.30	11.28	11.25	11.23	11.20
6	11.87	11.81	11.76	11.71	11.67	11.62	11.59	11.55	11.52	11.49	11.46	11.43
7	12.16	12.09	12.03	11.97	11.92	11.87	11.83	11.79	11.75	11.72	11.68	11.65
8	12.44	12.36	12.29	12.23	12.17	12.12	12.07	12.02	11.98	11.94	11.90	11.87
9	12.71	12.62	12.55	12.48	12.42	12.36	12.30	12.25	12.21	12.16	12.12	12.08
10	12.97	12.88	12.80	12.73	12.66	12.59	12.53	12.48	12.43	12.38	12.33	12.29
11	13.23	13.13	13.04	12.97	12.89	12.82	12.76	12.70	12.65	12.59	12.54	12.50
12	13.48	13.38	13.28	13.20	13.12	13.05	12.98	12.92	12.86	12.80	12.75	12.70
13	13.72	13.62	13.52	13.43	13.34	13.27	13.20	13.13	13.07	13.01	12.95	12.90
14	13.96	13.85	13.75	13.65	13.56	13.48	13.41	13.34	13.27	13.21	13.15	13.09
15	14.19	14.07	13.97	13.87	13.78	13.69	13.61	13.54	13.47	13.41	13.34	13.28
16	14.42	14.29	14.18	14.08	13.99	13.90	13.81	13.74	13.66	13.60	13.53	13.47
17	14.64	14.51	14.39	14.29	14.19	14.10	14.01	13.93	13.85	13.79	13.72	13.65
18	14.85	14.72	14.60	14.49	14.39	14.30	14.20	14.12	14.04	13.97	13.90	13.83
19	15.06	14.93	14.80	14.69	14.58	14.49	14.39	14.31	14.23	14.15	14.08	14.01
20	15.26	15.13	15.00	14.88	14.77	14.68	14.58	14.49	14.41	14.33	14.26	14.18
21	15.46	15.32	15.19	15.07	14.96	14.86	14.76	14.67	14.59	14.50	14.43	14.35
22	15.66	15.51	15.38	15.26	15.14	15.04	14.94	14.84	14.76	14.67	14.60	14.52
23	15.85	15.70	15.56	15.44	15.32	15.21	15.11	15.01	14.93	14.84	14.76	14.68
24	16.03	15.88	15.74	15.62	15.50	15.38	15.28	15.18	15.09	15.00	14.92	14.84
25	16.21	16.06	15.92	15.79	15.67	15.55	15.45	15.35	15.25	15.16	15.08	15.00
26	16.38	16.23	16.09	15.96	15.84	15.72	15.61	15.51	15.41	15.32	15.24	15.16
27	16.55	16.40	16.26	16.12	16.00	15.88	15.77	15.67	15.57	15.48	15.39	15.31
28	16.72	16.56	16.42	16.28	16.16	16.04	15.93	15.82	15.72	15.63	15.54	15.46
29	16.88	16.72	16.58	16.44	16.31	16.19	16.08	15.97	15.87	15.78	15.69	15.60
30	17.04	16.88	16.73	16.59	16.46	16.34	16.23	16.12	16.02	15.92	15.83	15.74




Continuous VP Scale

IMP\ Boards	26	27	28	29	30	31	32	33	34	35	36
0	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
1	10.24	10.24	10.24	10.23	10.23	10.22	10.22	10.22	10.22	10.21	10.21
2	10.48	10.48	10.47	10.46	10.45	10.44	10.44	10.43	10.43	10.42	10.41
3	10.72	10.71	10.70	10.68	10.67	10.66	10.65	10.64	10.64	10.62	10.61
4	10.95	10.94	10.92	10.90	10.89	10.87	10.86	10.85	10.84	10.82	10.81
5	11.18	11.16	11.14	11.12	11.10	11.08	11.07	11.05	11.04	11.02	11.01
6	11.40	11.38	11.35	11.33	11.31	11.29	11.27	11.25	11.24	11.22	11.20
7	11.62	11.59	11.56	11.54	11.52	11.49	11.47	11.45	11.43	11.41	11.39
8	11.84	11.80	11.77	11.74	11.72	11.69	11.67	11.64	11.62	11.60	11.58
9	12.05	12.01	11.98	11.94	11.92	11.89	11.86	11.83	11.81	11.79	11.76
10	12.25	12.21	12.18	12.14	12.11	12.08	12.05	12.02	11.99	11.97	11.94
11	12.45	12.41	12.38	12.34	12.30	12.27	12.24	12.20	12.17	12.15	12.12
12	12.65	12.61	12.57	12.53	12.49	12.45	12.42	12.38	12.35	12.33	12.29
13	12.85	12.80	12.76	12.72	12.67	12.63	12.60	12.56	12.53	12.50	12.46
14	13.04	12.99	12.95	12.90	12.85	12.81	12.78	12.74	12.70	12.67	12.63
15	13.23	13.18	13.13	13.08	13.03	12.99	12.95	12.91	12.87	12.84	12.80
16	13.41	13.36	13.31	13.26	13.21	13.16	13.12	13.08	13.04	13.00	12.96
17	13.59	13.54	13.48	13.43	13.38	13.33	13.29	13.25	13.20	13.16	13.12
18	13.77	13.71	13.65	13.60	13.55	13.50	13.46	13.41	13.36	13.32	13.28
19	13.95	13.88	13.82	13.77	13.72	13.67	13.62	13.57	13.52	13.48	13.44
20	14.12	14.05	13.99	13.94	13.88	13.83	13.78	13.73	13.68	13.64	13.59
21	14.29	14.22	14.16	14.10	14.04	13.99	13.94	13.89	13.84	13.79	13.74
22	14.45	14.38	14.32	14.26	14.20	14.14	14.09	14.04	13.99	13.94	13.89
23	14.61	14.54	14.48	14.42	14.35	14.29	14.24	14.19	14.14	14.09	14.04
24	14.77	14.70	14.63	14.57	14.50	14.44	14.39	14.34	14.29	14.23	14.18
25	14.93	14.85	14.78	14.72	14.65	14.59	14.54	14.48	14.43	14.37	14.32
26	15.08	15.00	14.93	14.87	14.80	14.74	14.68	14.62	14.57	14.51	14.46
27	15.23	15.15	15.08	15.01	14.95	14.88	14.82	14.76	14.71	14.65	14.60
28	15.38	15.30	15.23	15.15	15.09	15.02	14.96	14.90	14.85	14.79	14.74
29	15.52	15.44	15.37	15.29	15.23	15.16	15.10	15.04	14.98	14.93	14.87
30	15.66	15.58	15.51	15.43	15.37	15.30	15.24	15.17	15.11	15.06	15.00




Continuous VP Scale

IMP\ Boards	4	5	6	7	8	9	10	11	12	13
31	20.00	19.64	19.22	18.85	18.53	18.25	18.00	17.77	17.56	17.37
32	20.00	19.79	19.37	19.00	18.68	18.40	18.15	17.92	17.71	17.52
33	20.00	19.93	19.51	19.15	18.83	18.55	18.30	18.07	17.86	17.67
34	20.00	20.00	19.65	19.29	18.97	18.69	18.44	18.21	18.00	17.81
35	20.00	20.00	19.78	19.43	19.11	18.83	18.58	18.35	18.14	17.95
36	20.00	20.00	19.91	19.56	19.24	18.97	18.71	18.49	18.28	18.08
37	20.00	20.00	20.00	19.68	19.37	19.10	18.84	18.62	18.41	18.21
38	20.00	20.00	20.00	19.80	19.50	19.22	18.97	18.75	18.54	18.34
39	20.00	20.00	20.00	19.92	19.62	19.34	19.10	18.87	18.66	18.47
40	20.00	20.00	20.00	20.00	19.74	19.46	19.22	18.99	18.78	18.59
41	20.00	20.00	20.00	20.00	19.85	19.58	19.33	19.11	18.90	18.71
42	20.00	20.00	20.00	20.00	19.95	19.69	19.44	19.22	19.02	18.83
43	20.00	20.00	20.00	20.00	20.00	19.80	19.55	19.33	19.13	18.94
44	20.00	20.00	20.00	20.00	20.00	19.90	19.66	19.44	19.24	19.05
45	20.00	20.00	20.00	20.00	20.00	20.00	19.76	19.54	19.34	19.16
46	20.00	20.00	20.00	20.00	20.00	20.00	19.86	19.64	19.44	19.26
47	20.00	20.00	20.00	20.00	20.00	20.00	19.96	19.74	19.54	19.36
48	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.84	19.64	19.46
49	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.93	19.74	19.55
50	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.83	19.64
51	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.92	19.73
52	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.82
53	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.91
54	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.99
55	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
56	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
57	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
58	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
59	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
60	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00




Continuous VP Scale

IMP\ Boards	14	15	16	17	18	19	20	21	22	23	24	25
31	17.19	17.03	16.88	16.74	16.61	16.49	16.38	16.27	16.16	16.06	15.97	15.88
32	17.34	17.18	17.03	16.89	16.76	16.63	16.52	16.41	16.30	16.20	16.11	16.02
33	17.49	17.33	17.17	17.03	16.90	16.77	16.66	16.55	16.44	16.34	16.25	16.16
34	17.63	17.47	17.31	17.17	17.04	16.91	16.80	16.68	16.58	16.48	16.38	16.29
35	17.77	17.61	17.45	17.31	17.18	17.05	16.93	16.81	16.71	16.61	16.51	16.42
36	17.91	17.74	17.59	17.44	17.31	17.18	17.06	16.94	16.84	16.74	16.64	16.55
37	18.04	17.87	17.72	17.57	17.44	17.31	17.19	17.07	16.97	16.87	16.77	16.67
38	18.17	18.00	17.85	17.70	17.57	17.44	17.32	17.20	17.09	16.99	16.89	16.79
39	18.29	18.13	17.97	17.82	17.69	17.56	17.44	17.32	17.21	17.11	17.01	16.91
40	18.41	18.25	18.09	17.94	17.81	17.68	17.56	17.44	17.33	17.23	17.13	17.03
41	18.53	18.37	18.21	18.06	17.93	17.80	17.68	17.56	17.45	17.35	17.25	17.15
42	18.65	18.48	18.33	18.18	18.05	17.92	17.79	17.67	17.56	17.46	17.36	17.26
43	18.76	18.59	18.44	18.29	18.16	18.03	17.90	17.78	17.67	17.57	17.47	17.37
44	18.87	18.70	18.55	18.40	18.27	18.14	18.01	17.89	17.78	17.68	17.58	17.48
45	18.98	18.81	18.66	18.51	18.38	18.25	18.12	18.00	17.89	17.79	17.69	17.59
46	19.08	18.92	18.77	18.62	18.48	18.35	18.23	18.11	18.00	17.89	17.79	17.69
47	19.18	19.02	18.87	18.72	18.58	18.45	18.33	18.21	18.10	17.99	17.89	17.79
48	19.28	19.12	18.97	18.82	18.68	18.55	18.43	18.31	18.20	18.09	17.99	17.89
49	19.38	19.22	19.07	18.92	18.78	18.65	18.53	18.41	18.30	18.19	18.09	17.99
50	19.47	19.31	19.16	19.02	18.88	18.75	18.63	18.51	18.40	18.29	18.19	18.09
51	19.56	19.40	19.25	19.11	18.98	18.85	18.73	18.61	18.50	18.39	18.29	18.19
52	19.65	19.49	19.34	19.20	19.07	18.94	18.82	18.70	18.59	18.48	18.38	18.28
53	19.74	19.58	19.43	19.29	19.16	19.03	18.91	18.79	18.68	18.57	18.47	18.37
54	19.83	19.67	19.52	19.38	19.25	19.12	19.00	18.88	18.77	18.66	18.56	18.46
55	19.91	19.75	19.61	19.47	19.34	19.21	19.09	18.97	18.86	18.75	18.65	18.55
56	19.99	19.83	19.69	19.55	19.42	19.29	19.17	19.06	18.95	18.84	18.74	18.64
57	20.00	19.91	19.77	19.63	19.50	19.37	19.25	19.14	19.03	18.92	18.82	18.73
58	20.00	19.99	19.85	19.71	19.58	19.45	19.33	19.22	19.11	19.00	18.90	18.81
59	20.00	20.00	19.93	19.79	19.66	19.53	19.41	19.30	19.19	19.08	18.98	18.89
60	20.00	20.00	20.00	19.87	19.74	19.61	19.49	19.38	19.27	19.16	19.06	18.97




Continuous VP Scale

IMP\ Boards	26	27	28	29	30	31	32	33	34	35	36
31	15.80	15.72	15.65	15.57	15.50	15.43	15.37	15.30	15.24	15.19	15.13
32	15.94	15.86	15.78	15.70	15.63	15.56	15.50	15.43	15.37	15.32	15.26
33	16.07	15.99	15.91	15.83	15.76	15.69	15.63	15.56	15.50	15.44	15.38
34	16.20	16.12	16.04	15.96	15.89	15.82	15.76	15.69	15.62	15.56	15.50
35	16.33	16.25	16.17	16.09	16.02	15.94	15.88	15.81	15.74	15.68	15.62
36	16.46	16.37	16.29	16.21	16.14	16.06	16.00	15.93	15.86	15.80	15.74
37	16.58	16.49	16.41	16.33	16.26	16.18	16.12	16.05	15.98	15.92	15.86
38	16.70	16.61	16.53	16.45	16.38	16.30	16.24	16.17	16.10	16.04	15.98
39	16.82	16.73	16.65	16.57	16.50	16.42	16.35	16.28	16.22	16.15	16.09
40	16.94	16.85	16.77	16.69	16.61	16.54	16.46	16.39	16.33	16.26	16.20
41	17.06	16.97	16.88	16.80	16.72	16.65	16.57	16.50	16.44	16.37	16.31
42	17.17	17.08	16.99	16.91	16.83	16.76	16.68	16.61	16.55	16.48	16.42
43	17.28	17.19	17.10	17.02	16.94	16.87	16.79	16.72	16.66	16.59	16.53
44	17.39	17.30	17.21	17.13	17.05	16.98	16.90	16.83	16.76	16.70	16.63
45	17.50	17.41	17.32	17.24	17.16	17.08	17.01	16.93	16.86	16.80	16.73
46	17.60	17.51	17.42	17.34	17.26	17.18	17.11	17.03	16.96	16.90	16.83
47	17.70	17.61	17.52	17.44	17.36	17.28	17.21	17.13	17.06	17.00	16.93
48	17.80	17.71	17.62	17.54	17.46	17.38	17.31	17.23	17.16	17.10	17.03
49	17.90	17.81	17.72	17.64	17.56	17.48	17.41	17.33	17.26	17.20	17.13
50	18.00	17.91	17.82	17.74	17.66	17.58	17.51	17.43	17.36	17.29	17.23
51	18.10	18.01	17.92	17.83	17.75	17.67	17.60	17.52	17.45	17.38	17.32
52	18.19	18.10	18.01	17.92	17.84	17.76	17.69	17.61	17.54	17.47	17.41
53	18.28	18.19	18.10	18.01	17.93	17.85	17.78	17.70	17.63	17.56	17.50
54	18.37	18.28	18.19	18.10	18.02	17.94	17.87	17.79	17.72	17.65	17.59
55	18.46	18.37	18.28	18.19	18.11	18.03	17.96	17.88	17.81	17.74	17.68
56	18.55	18.46	18.37	18.28	18.20	18.12	18.05	17.97	17.90	17.83	17.77
57	18.63	18.54	18.45	18.37	18.29	18.21	18.13	18.06	17.99	17.92	17.85
58	18.71	18.62	18.53	18.45	18.37	18.29	18.21	18.14	18.07	18.00	17.93
59	18.79	18.70	18.61	18.53	18.45	18.37	18.29	18.22	18.15	18.08	18.01
60	18.87	18.78	18.69	18.61	18.53	18.45	18.37	18.30	18.23	18.16	18.09




Continuous VP Scale

IMP\ Boards	4	5	6	7	8	9	10	11	12	13
61	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
62	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
63	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
64	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
65	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
66	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
67	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
68	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
69	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
70	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
71	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
72	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
73	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
74	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
75	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
76	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
77	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
78	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
79	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
80	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
81	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
82	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
83	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
84	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
85	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
86	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
87	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
88	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
89	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
90	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00



Continuous VP Scale

IMP\ Boards	14	15	16	17	18	19	20	21	22	23	24	25
61	20.00	20.00	20.00	19.94	19.81	19.69	19.57	19.46	19.35	19.24	19.14	19.05
62	20.00	20.00	20.00	20.00	19.88	19.76	19.65	19.54	19.43	19.32	19.22	19.13
63	20.00	20.00	20.00	20.00	19.95	19.83	19.72	19.61	19.50	19.40	19.30	19.21
64	20.00	20.00	20.00	20.00	20.00	19.90	19.79	19.68	19.57	19.47	19.37	19.28
65	20.00	20.00	20.00	20.00	20.00	19.97	19.86	19.75	19.64	19.54	19.44	19.35
66	20.00	20.00	20.00	20.00	20.00	20.00	19.93	19.82	19.71	19.61	19.51	19.42
67	20.00	20.00	20.00	20.00	20.00	20.00	19.99	19.89	19.78	19.68	19.58	19.49
68	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.95	19.85	19.75	19.65	19.56
69	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.92	19.82	19.72	19.63
70	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.98	19.88	19.79	19.70
71	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.94	19.85	19.76
72	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.91	19.82
73	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.97	19.88
74	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.94
75	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
76	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
77	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
78	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
79	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
80	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
81	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
82	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
83	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
84	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
85	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
86	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
87	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
88	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
89	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00
90	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00



Continuous VP Scale

IMP\ Boards	26	27	28	29	30	31	32	33	34	35	36
61	18.95	18.86	18.77	18.69	18.61	18.53	18.45	18.38	18.31	18.24	18.17
62	19.03	18.94	18.85	18.77	18.69	18.61	18.53	18.46	18.39	18.32	18.25
63	19.11	19.02	18.93	18.85	18.77	18.69	18.61	18.54	18.47	18.40	18.33
64	19.18	19.10	19.01	18.93	18.85	18.77	18.69	18.62	18.55	18.48	18.41
65	19.25	19.17	19.08	19.00	18.92	18.84	18.76	18.69	18.62	18.55	18.48
66	19.32	19.24	19.15	19.07	18.99	18.91	18.83	18.76	18.69	18.62	18.55
67	19.39	19.31	19.22	19.14	19.06	18.98	18.90	18.83	18.76	18.69	18.62
68	19.46	19.38	19.29	19.21	19.13	19.05	18.97	18.90	18.83	18.76	18.69
69	19.53	19.45	19.36	19.28	19.20	19.12	19.04	18.97	18.90	18.83	18.76
70	19.60	19.52	19.43	19.35	19.27	19.19	19.11	19.04	18.97	18.90	18.83
71	19.67	19.59	19.50	19.42	19.34	19.26	19.18	19.11	19.04	18.97	18.90
72	19.73	19.65	19.56	19.48	19.41	19.33	19.25	19.18	19.11	19.04	18.97
73	19.79	19.71	19.62	19.54	19.47	19.39	19.32	19.25	19.18	19.11	19.04
74	19.85	19.77	19.68	19.60	19.53	19.45	19.38	19.31	19.24	19.17	19.10
75	19.91	19.83	19.74	19.66	19.59	19.51	19.44	19.37	19.30	19.23	19.16
76	19.97	19.89	19.80	19.72	19.65	19.57	19.50	19.43	19.36	19.29	19.22
77	20.00	19.95	19.86	19.78	19.71	19.63	19.56	19.49	19.42	19.35	19.28
78	20.00	20.00	19.92	19.84	19.77	19.69	19.62	19.55	19.48	19.41	19.34
79	20.00	20.00	19.98	19.90	19.83	19.75	19.68	19.61	19.54	19.47	19.40
80	20.00	20.00	20.00	19.96	19.89	19.81	19.74	19.67	19.60	19.53	19.46
81	20.00	20.00	20.00	20.00	19.94	19.87	19.80	19.73	19.66	19.59	19.52
82	20.00	20.00	20.00	20.00	19.99	19.92	19.85	19.79	19.72	19.65	19.58
83	20.00	20.00	20.00	20.00	20.00	19.97	19.90	19.84	19.78	19.71	19.64
84	20.00	20.00	20.00	20.00	20.00	20.00	19.95	19.89	19.83	19.76	19.70
85	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.94	19.88	19.81	19.75
86	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.99	19.93	19.86	19.80
87	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.98	19.91	19.85
88	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.96	19.90
89	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	19.95
90	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00